


BF-24803 CORNER CUBBIE

INV#07953


ASSEMBLY INSTRUCTIONS

Made In China



Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts, which may have came loose inside the carton during shipment. Count all parts and material hardware, then compare with parts list to be sure all parts are present. If any parts are missing or damaged, phone, fax, or mail to our Customer Service Department for effcient and speedy service. Please indicate the model number and code letter of part(s) needed.

IMPORTANT NOTE: Follow instructions listed below in proper sequence as numbered to assure fast, easy and correct assembly.



| M | N | O 7mm× 5/8" |
|-----------------|--------------|--------------|
| | | ATTITUD |
| CAM-LOCKS-10PCS | DOWELS-21PCS | SCREWS-28PCS |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |


NOTE: THE SURFACE WITH THE STICKER IS THE BACK SIDE.


NOTE: • UPON OPENING THOROUGHLY CLEAN ALL WOODS SURFACES TO REMOVE DUST

AND DIRT THAT MAY HAVE SETTLED ONTO FINISH DURING SHIPMENT. IN ORDER

TO PREVENT DAMAGE DURING ASSEMBLY, PLEASE ASSEMBLE THIS ITEM WITH AT

LEAST TWO PEOPLE.






NOTE: TURN THE CAM-BOLT SCREWS UNTIL THEY


ARE TIGHT, THE SHOULDER SHOULD BE

AGAINST THE SURFACE OF THE PART.

HOW TO USE THE CAM-TOOL




NOTE: • THE ARROWS ON THE HIDDEN CAM-LOCKS SHOULD POINT TO THE CAM-BOLTS




1). ASSEMBLE THE BACK WOOD(H).

- ROTATE THE CAM-BOLT(L) INTO THE HOLE IN THE BOTTOM PANEL(C).
- PLACE THE CAM-BOLT(L) INTO THE HOLE IN THE BACK WOOD(H) AND ATTACH USING CAM-LOCK(M).




2). ASSEMBLE THE LARGE ACROSS PANEL(B).

- INSERT DOWEL(N) INTO THE HOLE IN THE BACK WOOD(H).
- ATTACH THE LARGE ACROSS PANEL(B) TO BACK WOOD(H).




3) . ASSEMBLE THE STAND PANEL(F).

- INSERT 8 DOWELS(N) INTO THE HOLES IN THE LARGE ACROSS PANELS(B) AND BOTTOM PANEL(C).
- ATTACH THE STAND PANELS(F) TO PANELS(B/C).




4). ASSEMBLE THE SMALL ACROSS PANELS(I).

- INSERT THE DOWELS(N) INTO THE HOLES IN THE SMALL ACROSS PANELS(I).
- ATTACH THE SMALL ACROSS PANELS(I) TO LEFT/RIGHT SIDE PANEL(D/E).




5). ASSEMBLE THE LEFT SIDE PANEL(D) AND SMALL ACROSS PANEL(I).

- ullet ROTATE THE 2 CAM-BOLTS(L) AND INSERT THE 2 DOWELS(N) INTO THE HOLES IN THE PANEL(B/F).
- PLACE THE CAM-BOLTS(L) INTO THE HOLES IN THE PANEL(D) AND ATTACH USING 2 CAM-LOCKS(M).




6). ASSEMBLE THE RIGHT SIDE PANEL(E) AND SMALL ACROSS PANEL(I).

- ROTATE THE 2 CAM-BOLTS(L) AND INSERT THE 2 DOWELS(N) INTO THE HOLES IN THE PANEL(B/G).
- PLACE THE CAM-BOLTS(L) INTO THE HOLES IN THE PANEL(E) AND ATTACH USING 2 CAM-LOCKS(M).




7). ASSEMBLE THE TOP PANEL(A).

- ROTATE THE 5 CAM-BOLTS(L) AND INSERT THE 4 DOWELS(N) INTO THE HOLES IN THE TOP PANEL(A).
- PLACE THE CAM-BOLTS(L) INTO THE HOLES IN THE PANEL(D/E/F/H) AND ATTACH USING 5 CAM-LOCKS(M).



- 8). ASSEMBLE THE CAM-LOCKS(J).
- ATTACH THE 8 CAM-LOCKS(M) USING 8 CAM-LOCK CAPS(J).



- 9). ASSEMBLE THE BACK PANELS(G).
- ATTACH THE BACK PANELS(G) USING 28 SCREWS(O).